








## D2 WCMX






Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)						Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			ØD	ød	d1	L	L1	L2			
U104	●	16 D2 WCMX 03	16	25	34	108	32	56	WCMX 0302 KRLY	TC060 M2,5x5,5	T8
U105	●	17 D2 WCMX 03	17	25	34	110	34	56			
U106	●	18 D2 WCMX 03	18	25	34	113	36	56			
U107	●	19 D2 WCMX 03	19	25	34	115	38	56	WCMX 0402 KRLY	TC065 M3x7	T8
U108	●	20 D2 WCMX 04	20	25	34	119	40	56			
U110	●	21 D2 WCMX 04	21	25	34	121	42	56			
U112	●	22 D2 WCMX 04	22	25	34	123	44	56	WCMX 0503 KRLY	TC067 M3,5x9	T15
U114	●	23 D2 WCMX 04	23	25	34	127	46	56			
U116	●	24 D2 WCMX 05	24	25	34	130	48	56			
U118	●	25 D2 WCMX 05	25	25	34	133	50	56	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U120	●	26 D2 WCMX 05	26	25	34	135	52	56			
U122	●	27 D2 WCMX 05	27	25	34	137	54	56			
U124	●	28 D2 WCMX 05	28	25	39	140	56	56	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U126	●	29 D2 WCMX 05	29	25	39	142	58	56			
U128	●	30 D2 WCMX 06	30	32	44	151	60	58			
U130	●	31 D2 WCMX 06	31	32	44	154	62	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U132	●	32 D2 WCMX 06	32	32	44	156	64	58			
U134	●	33 D2 WCMX 06	33	32	44	159	66	58			
U136	●	34 D2 WCMX 06	34	32	44	161	68	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U137	●	35 D2 WCMX 06	35	32	44	164	70	58			
U138	●	36 D2 WCMX 06	36	32	44	167	72	58			
U139	●	37 D2 WCMX 06	37	32	44	170	74	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U140	●	38 D2 WCMX 06	38	32	44	173	76	58			
U141	●	39 D2 WCMX 06	39	32	44	175	78	58			
U142	●	40 D2 WCMX 06	40	32	44	178	80	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15

KRLY ucuna uygundur. / Compatible with KRLY insert. / Kompatibel für KRLY WP


## D3 WCMX






Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions (mm) Abmessungen (mm)						Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			ØD	ød	d1	L	L1	L2			
U143	●	16 D3 WCMX 03	16	25	34	124	48	WCMX 0302 KRLY	TC060 M2.5x5.5	T8	
U143-1	●	16,5 D3 WCMX 03	16,5	25	34	124	48				
U144	●	17 D3 WCMX 03	17	25	34	127	51				
U145	●	17,5 D3 WCMX 03	17,5	25	34	127	51				
U146	●	18 D3 WCMX 03	18	25	34	131	54				
U147	●	18,5 D3 WCMX 03	18,5	25	34	131	54				
U148	●	19 D3 WCMX 03	19	25	34	134	57				
U149	●	19,5 D3 WCMX 03	19,5	25	34	134	57				
U150	●	20 D3 WCMX 04	20	25	34	139	60				WCMX 0402 KRLY
U151	●	20,5 D3 WCMX 04	20,5	25	34	139	60				
U152	●	21 D3 WCMX 04	21	25	34	142	63				
U153	●	21,5 D3 WCMX 04	21,5	25	34	142	63				
U154	●	22 D3 WCMX 04	22	25	34	145	66				
U155	●	22,5 D3 WCMX 04	22,5	25	34	145	66				
U156	●	23 D3 WCMX 04	23	25	34	150	69				
U157	●	23,5 D3 WCMX 04	23,5	25	34	150	69				
U158	●	24 D3 WCMX 05	24	25	34	154	72	WCMX 0503 KRLY			
U159	●	24,5 D3 WCMX 05	24,5	25	34	154	72				
U160	●	25 D3 WCMX 05	25	25	34	158	75				
U161	●	25,5 D3 WCMX 05	25,5	25	34	158	75				
U162	●	26 D3 WCMX 05	26	25	34	161	78				
U163	●	26,5 D3 WCMX 05	26,5	25	34	161	78				
U164	●	27 D3 WCMX 05	27	25	34	164	81				
U165	●	27,5 D3 WCMX 05	27,5	25	34	164	81				
U166	●	28 D3 WCMX 05	28	25	39	168	84				
U167	●	28,5 D3 WCMX 05	28,5	25	39	168	84				
U168	●	29 D3 WCMX 05	29	25	39	171	87				
U169	●	29,5 D3 WCMX 05	29,5	25	39	171	87				

KRLY ucuna uygundur. / Compatible with KRLY insert. / Kompatibel für KRLY WP


## D3 WCMX






Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)							Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			ØD	ed	d1	L	L1	L2				
U170	●	30 D3 WCMX 06	30	32	44	181	90	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15	
U171	●	30,5 D3 WCMX 06	30,5	32	44	181	90	58				
U172	●	31 D3 WCMX 06	31	32	44	185	93	58				
U174	●	32 D3 WCMX 06	32	32	44	188	96	58				
U176	●	33 D3 WCMX 06	33	32	44	192	99	58				
U178	●	34 D3 WCMX 06	34	32	44	195	102	58				
U179	●	35 D3 WCMX 06	35	32	44	199	105	58				
U180	●	36 D3 WCMX 06	36	32	44	203	108	58				
U181	●	37 D3 WCMX 06	37	32	44	207	111	58				
U182	●	38 D3 WCMX 06	38	32	44	211	114	58				
U183	●	39 D3 WCMX 06	39	32	44	214	117	58				
U184	●	40 D3 WCMX 06	40	32	44	218	120	58				
U186	●	41 D3 WCMX 06	41	32	49	232	123	58				
U188	●	42 D3 WCMX 06	42	32	49	235	126	58				
U190	●	43 D3 WCMX 06	43	32	54	239	129	58				
U192	●	44 D3 WCMX 06	44	32	54	242	132	58				
U194	●	45 D3 WCMX 06	45	40	59	247	135	68				
U196	●	46 D3 WCMX 08	46	40	59	251	138	68				
U198	●	47 D3 WCMX 08	47	40	59	254	141	68				
U200	●	48 D3 WCMX 08	48	40	59	258	144	68				
U201	●	49 D3 WCMX 08	49	40	59	261	147	68				
U202	●	50 D3 WCMX 08	50	40	59	265	150	68				
U203	●	51 D3 WCMX 08	51	40	59	268	153	68				
U205	●	52 D3 WCMX 08	52	40	59	271	156	68				
U207	●	53 D3 WCMX 08	53	40	59	274	159	68				
U209	●	54 D3 WCMX 08	54	40	59	277	162	68				
U211	●	55 D3 WCMX 08	55	40	59	280	165	68				
									WCMX 0804 KRLY	TC068 M3,5x11		

KRLY ucuna uygundur. / Compatible with KRLY insert. / Kompatible für KRLY WP


## D4 WCMX



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)						Kullanılan Uç Insert WSP	Sıkma Cıvatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			ØD	ød	d1	L	L1	L2			
U600	●	16 D4 WCMX 03	16	25	34	140	64	56	WCMX 0302 KRLY	TC060 M2,5x5,5	T8
U602	●	17 D4 WCMX 03	17	25	34	144	68	56			
U604	●	18 D4 WCMX 03	18	25	34	149	72	56	WCMX 0402 KRLY	TC060 M2,5x5,5	T8
U606	●	19 D4 WCMX 03	19	25	34	153	76	56			
U608	●	20 D4 WCMX 04	20	25	34	159	80	56	WCMX 0503 KRLY	TC065 M3x7	T15
U610	●	21 D4 WCMX 04	21	25	34	163	84	56			
U612	●	22 D4 WCMX 04	22	25	34	167	88	56	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U614	●	23 D4 WCMX 04	23	25	34	173	92	56			
U616	●	24 D4 WCMX 05	24	25	34	178	96	56	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U618	●	25 D4 WCMX 05	25	25	34	183	100	56			
U620	●	26 D4 WCMX 05	26	25	34	187	104	56	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U622	●	27 D4 WCMX 05	27	25	34	191	108	56			
U624	●	28 D4 WCMX 05	28	25	39	196	112	56	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U626	●	29 D4 WCMX 05	29	25	39	200	116	56			
U628	●	30 D4 WCMX 06	30	32	44	211	120	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U631	●	31 D4 WCMX 06	31	32	44	216	124	58			
U632	●	32 D4 WCMX 06	32	32	44	220	128	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U633	●	33 D4 WCMX 06	33	32	44	225	132	58			
U634	●	34 D4 WCMX 06	34	32	44	229	136	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U635	●	35 D4 WCMX 06	35	32	44	234	140	58			
U636	●	36 D4 WCMX 06	36	32	44	239	144	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U637	●	37 D4 WCMX 06	37	32	44	244	148	58			
U638	●	38 D4 WCMX 06	38	32	44	249	152	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U639	●	39 D4 WCMX 06	39	32	44	253	156	58			
U640	●	40 D4 WCMX 06	40	32	44	258	160	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15

KRLY ucuna uygundur. / Compatible with KRLY insert. / Kompatible für KRLY WP

## D5 WCMX



Sipariş Kodu Order Code Best.-Nr.	Stok/Stock/Lager	Ürün Kodu Product Code Produkt-Code	Ölçüler (mm) Dimensions(mm) Abmessungen (mm)						Kullanılan Uç Insert WSP	Sıkma Civatası Clamp Screw Torx-Schraube	Anahtar Torx Key Torx-Schlüssel
			$\varnothing D$	$\varnothing d$	$d1$	L	L1	L2			
U776	○	16 D5 WCMX 03	16	25	34	156	80	56	WCMX 0302 KRLY	TC060 M2,5x5,5	T8
U777	○	17 D5 WCMX 03	17	25	34	161	85	56			
U778	○	18 D5 WCMX 03	18	25	34	167	90	56			
U779	○	19 D5 WCMX 03	19	25	34	172	95	56	WCMX 0402 KRLY	TC065 M3x7	T8
U780	○	20 D5 WCMX 04	20	25	34	179	100	56			
U781	○	21 D5 WCMX 04	21	25	34	184	105	56			
U782	○	22 D5 WCMX 04	22	25	34	190	110	56	WCMX 0503 KRLY	TC067 M3,5x9	T15
U783	○	23 D5 WCMX 04	23	25	34	196	115	56			
U784	○	24 D5 WCMX 05	24	25	34	202	120	56			
U785	○	25 D5 WCMX 05	25	25	34	208	125	56	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U786	○	26 D5 WCMX 05	26	25	34	213	130	56			
U787	○	27 D5 WCMX 05	27	25	34	218	135	56			
U788	○	28 D5 WCMX 05	28	25	39	224	140	56	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U789	○	29 D5 WCMX 05	29	25	39	229	145	56			
U790	○	30 D5 WCMX 06	30	32	44	241	150	58			
U791	○	31 D5 WCMX 06	31	32	44	216	155	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U792	○	32 D5 WCMX 06	32	32	44	252	160	58			
U793	○	33 D5 WCMX 06	33	32	44	258	165	58			
U794	○	34 D5 WCMX 06	34	32	44	263	170	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U795	○	35 D5 WCMX 06	35	32	44	269	175	58			
U796	○	36 D5 WCMX 06	36	32	44	275	180	58			
U797	○	37 D5 WCMX 06	37	32	44	281	185	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15
U798	○	38 D5 WCMX 06	38	32	44	287	190	58			
U799	○	39 D5 WCMX 06	39	32	44	292	195	58			
U800	○	40 D5 WCMX 06	40	32	44	298	200	58	WCMX 06T3 KRLY	TC067 M3,5x9	T15

KRLY ucuna uygundur. / Compatible with KRLY insert. / Kompatible für KRLY WP